

Dry joint cutter Dicorona 514-B



Especially suitable for the wall- or curb flush cutting of construction joints.

Dry joint cutter Dicorona 514-B

- Manoeuvrable and easy-to-use machine
- Consistently well-suited for dry cutting
- Integrated dust extraction
- Hydraulic blade positioning by lowering valve and push-button switch
- Reliable visual contact with the diamond saw blade when setting up the machine
- Equipped with larger suction unit and double cyclone filter system to maximize dust extraction
- The bevel cut equipment allows set the machine to a max. 5 degrees angel for cutting wall- or curb flush joints.

Delivery **without** cutting disc!

Technical details:

Description	DICORONA 514 B
Item no.	5388 0000
Engine	2 cylinder petrol engine with electric start 26 kW at 3600 rpm
Traction drive	Adjustable up to approx. 30m/min. with rear axle steering
Blade diameter	350 mm
Maximum cutting depth	approx. 100 mm
Bevel adjustment	with a spindle for mechanical adjustment, max. 5 degrees
Cutting depth at bevel cut	approx. 50 mm
Blade rising and lowering	hydraulic with lowering valve
Weight	approx. 400 kg
Length	approx. 1.250 mm
Width	approx. 620 mm
Height	approx. 1.300 mm

Accessoires:

Diamond cutting disk 350 x 4.3 x 25.4	Art.-Nr. 5379 8100
Diamond cutting disk 350 x 6.0 x 25.4	Art.-Nr. 5379 8200
Diamond cutting disk 350 x 8.0 x 25.4	Art.-Nr. 5379 8500

Subject to technical changes.

WINTER Markiertechnik GmbH
Siegener Straße 81 - 83 • 57234 Wilnsdorf-Niederdielfen
Tel.: +49 (0) 271 - 39 88-0
Fax: +49 (0) 271 - 39 88-159

WERK KELLINGHUSEN
Luisenberger Straße 1a • 25548 Kellinghusen
Tel.: +49 (0) 48 22 - 36 227-0
Fax: +49 (0) 48 22 - 36 227-19

WINTER Markiertechnik GmbH
Siegener Straße 81 - 83 • 57234 Wilnsdorf-Niederdielfen
Tel.: +49 (0) 271 - 39 88-0
Fax: +49 (0) 271 - 39 88-159

WERK KELLINGHUSEN
Luisenberger Straße 1a • 25548 Kellinghusen
Tel.: +49 (0) 48 22 - 36 227-0
Fax: +49 (0) 48 22 - 36 227-19